





SECURITY



Versions available with profile cylinder



MATERIALS

Stainless steel forend and springs
Zinc and plastic plated steel lock case

LATCH BOLT WITH THROW



CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend - Nickel-plated special alloy anti-noise latch bolt.

WORKING:

Key driven throw - Key driven latch bolt.

HAND:

Reversible.

PROVIDED WITH:



Cylinder screw.



COD.	F	Throws			
1240	18	1	0,18	-	50
1240/F16	16	1	0,18	-	50



PISTON 2 THROWS



CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend - Nickel-plated special alloy piston with saw resistant steel pin.

WORKING:

Key driven piston.

HAND:



No hand.

PROVIDED WITH:

Cylinder screw.

COD.	F	Throws			
1244	18	2	0,16	-	50
1244/F16	16	2	0,16	-	50

ADJUSTABLE ROLLER BOLT WITH THROW



CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend - Nickel-plated brass roller bolt.

WORKING:

Key driven throw - Pressure or key driven roller bolt.

HAND:

No hand.



PROVIDED WITH:

Cylinder screw.



COD.	F	Throws			
1245	18	1	0,17	-	50
1245/F16	16	1	0,17	-	50

HOOK BOLT



CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend - Nickel-plated special alloy hook bolt.

WORKING:

Key driven hook bolt.

HAND:


No hand.

PROVIDED WITH:

Cylinder screw.

COD.	F	Throws			
1246	18	1	0,17	-	50
1246/F16	16	1	0,17	-	50

PISTON WITH THROW



CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Nickel and chrome-plated steel forend - Nickel-plated special alloy piston with saw resistant steel pin.

WORKING:

Key driven piston.

HAND:

No hand.



PROVIDED WITH:

Cylinder screw.



COD.	F	Throws			
1144	16	1	0,14	-	50

LATCH BOLT - HANDLE OPERATED



CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend - Nickel-plated special alloy anti-noise latch bolt - Nickel-plated special alloy square spindle device $\varnothing$ 8 mm.

WORKING:

Handle driven latch bolt.

HAND:



Reversible.

PROVIDED WITH:

/

COD.	F	Throws			
1242	18	-	0,20	-	50
1242/F16	16	-	0,20	-	50

HOOK BOLT - HANDLE OPERATED



CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend - Nickel-plated special alloy hook bolt - Burnished steel square spindle device $\varnothing$ 8 mm.

WORKING:

Handle driven hook bolt.

HAND:

No hand.



PROVIDED WITH:

/



COD.	F	Throws	kg		
1246Q	18	1	0,17	-	50
1246Q/F16	16	1	0,17	-	50

STRIKING PLATE FOR LOCKS COD. 1240 - 1242





CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend.

COD.	F	Throws			
1243	18	-	0,11	-	50
1243/F16	16	-	0,11	-	50

STRIKING PLATE FOR LOCK COD. 1244





CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend.



COD.	F	Throws			
1247	18	-	0,12	-	50
1247/F16	16	-	0,12	-	50

STRIKING PLATE FOR LOCKS COD. 1246 - 1246Q



CONSTRUCTIVE FEATURES:

Zinc and plastic plated steel case and cover - Stainless steel forend.

COD.	F	Throws			
1248	18	-	0,11	-	50
1248/F16	16	-	0,11	-	50



